



GERBER®

■ PERFORMANCE GUIDE

WHY GERBER®?

OUR COMMITMENT TO QUALITY AND SERVICE

Gerber manufactures tried and true, high-quality kitchen and bathroom plumbing products. We earn the trust of trade professionals and homeowners alike who find value in products that have both style and substance – performing without exception for years to come, all while being surprisingly affordable.

Gerber's comprehensive offering of plumbing solutions is created with the entire experience in mind, from easy installation to reliable everyday use, and is supported by Gerber's dedicated service and industry-leading warranties.

OUR PROMISES



Set It and Forget It™

Our products are engineered to provide years of enduring performance, trust, and reliability.



Realize Your Vision

We deliver inspired designs backed by quality craftsmanship, no sacrifices necessary. Count on us to check all the boxes for needs, style, and budget.



Expect Uncomplicated

We are dedicated to making things simple yet impactful every step of the way, from product features and design, installation, support, and beyond.

TECHNICAL SUPPORT

For consumers and industry professionals needing technical support on product installation, troubleshooting, or parts-related inquiries, call toll-free:

Monday through Friday 8:00 a.m. – 8:00 p.m. (Eastern Time)

Saturday 9:00 a.m. – 6:00 p.m. (Eastern Time)

US: 1-888-648-6466 Canada: 1-800-487-8372

Warranty Information

gerber-us.com/warranties

GET IT ALL

The Gerber[®] Advantage

For over 90 years, Gerber Plumbing Fixtures has been recognized as a preferred brand. We make it easy to do business with us. How? We can start by helping you consolidate your vitreous china and brass purchases to one manufacturer.



TRIED & TRUE TOILETS

INSTALLATION THAT'S EASY

FLUSHING PERFORMANCE THAT'S HARD TO FORGET

Gerber's Three Cs

| Flush Feature | Primary Driver | Benefit |
|---------------|--|--|
| CLEAR | <ul style="list-style-type: none">▪ Jet Feed▪ Glazed Trapway | Consistent and Complete Removal of Waste |
| CLEAN | <ul style="list-style-type: none">▪ Number of Rim Holes▪ Sharp Angles | Clean Bowl Post Flush, Without Brush |
| CARRY | <ul style="list-style-type: none">▪ Total Water Speed▪ Trapway Design | Waste Carried Far Down Sewer/Septic Line |

How do Gerber® toilets give the confidence of Set-It-and-Forget-It™ dependability? There's more to a good flush than you may think; believe it or not, it's just like a roller coaster. Gerber defines exceptional performance in three distinct ways: CLEAR (MaP® score), CLEAN (cleanliness of bowl after a single flush), and CARRY (drain line carry). Gerber has been dedicated to perfecting these three Cs for 90 years to be able to provide the most CONSISTENT flush available. So whether you're a plumber, wholesaler, builder, designer, homeowner, or whatever walk of life, you can be confident when choosing Gerber. Come along for the ride.



Watch the Three Cs in Action

CLEAR


CARRY

CLEAN



Gerber's Flushing Platform Lineup

INDUSTRY STANDARD GERBER MINIMUM BASELINE PERFORMANCE HIGH PERFORMANCE MAXIMUM PERFORMANCE



Quantitative scale based on Gerber performance rating system that weighs MaP score, bowl cleaning, and drain line carry metrics.

■ CLEAR ■ CLEAN ■ CARRY

GERBER® FLUSHING PLATFORM QUICK REFERENCE GUIDE



| | | |
|--------------------------|---------------------|--------------------------------------|
| MaP® Score | 800 grams | 1,000 grams |
| Flush Volumes (gpf) | 1.6, 1.28 | 1.6, 1.28, 1.0, 1.1/0.9****, 0.8**** |
| Fill Valve | Standard | Fluidmaster® 400A |
| Dual-Fed Siphon Jet Size | Medium | Large |
| Configurations* | RF, EL, ADA EL, B/O | RF, EL, CE, ADA EL, B/O |
| Rough-in | 10", 12", 14", B/O | 10", 12", 14", B/O |
| Drain Line Carry | 44 feet** | 50 feet** |

*RF=Round Front; EL=Elongated; ADA EL= Elongated ErgoHeight™; B/O=Back Outlet; CE=Compact Elongated; 1pc=One-Piece; CT=Concealed Trapway

** Average

*** Gerber internal testing according to ASME standard protocol

**** MaP Premium, 800 grams

The Elite™, powered by the Avalanche® flushing platform, has all the same benefits of an Avalanche toilet, but features an elevated style, extra-large footprint, and concealed trapway!



Avalanche®



Ultra Flush®



Elite™

| | | |
|-----------------------------|--------------------------------------|-------------------|
| 1,000 grams | 1,200 grams*** | 1,000 grams |
| 1.6, 1.28 | 1.6, 1.28, 1.0**** | 1.6, 1.28 |
| Fluidmaster® 400A | Sloan Flushmate® (1.6 & 1.28 models) | Fluidmaster® 400A |
| Extra Large | Extra Large | Extra Large |
| RF, EL, CE, ADA EL, 1pc, CT | RF, EL, ADA EL, B/O | ADA RF, ADA EL |
| 10", 12" | 10", 12", 14", B/O | 10", 12" |
| 60 feet** | 80 feet** | 60 feet** |

Tool-Free Tank-to-Bowl Assembly Kit on All Toilets

This kit features all brass, non-corrosive tank-to-bowl bolts and a double-wing nut connection for maximum tank sealing and minimal breakage. For added security and safety, two rubber channel pads provide a stable tank-to-bowl connection. The multi-point, tank-to-bowl mounting system reduces the risk of cracking the tank when installing. The seal created is ultra reliable as the tank won't leak if the lower nut loosens over time. It also allows the tank to be removed with water in it if needed for painting or wallpapering behind it.



MAXWELL®



- 1 Quick-action 3" flush valve
- 2 Dual-fed siphon jet maximizes speed and power of flush
- 3 Large, fully glazed trapway
- 4 Non-corrosive brass tank bolts

800 grams MaP[®] Score

44 feet of Drain Line Carry

5 Year Limited Lifetime Warranty on Vitreous China

RELIABLE VALUE

The Maxwell[®] toilet is the quintessential dependable, baseline toilet. The construction coupled with the tank components make for a great working toilet at an even better value.



viper®



- 1 Proprietary, large, fully glazed trapway
- 2 High waterline in tall, narrow tank maximizes head pressure and flush speed through 3" flush valve
- 3 Large 54 square inch water surface keeps bowl clean
- 4 Time-saving, tall bolt caps to eliminate the need to trim bolts during installation
- 5 Large footprint - ideal for replacement
- 6 Reliable Fluidmaster® 400A fill valve

1,000 grams MaP® Score*

50 feet of Drain Line Carry

5 Year Limited Lifetime Warranty on Vitreous China

TRUSTY WORKHORSE

Set-It-and-Forget-It™ with Viper®. The tall, narrow-designed tank optimizes flush speed, and quickly refills using a trusted, industry-best, Fluidmaster® 400A fill valve. Powerful front rim jets maintain a clean and sanitary bowl with every flush. An exclusive multi-point mounting system and non-corrosive brass tank-to-bowl bolts ensure long-lasting stability and ease of installation, making Viper the professional's choice.

* 0.8 gpf model has a MaP Premium score of 800 grams



Avalanche[®]



- 1 Extra large footprint, ideal for replacements; quickly covers old caulk lines, dirt, & broken flooring from prior installations
- 2 Large, 2" fully glazed trapway for clog-free waste removal
- 3 Adjustable, chemical-resistant Fluidmaster® 3" flush valve
- 4 Purposefully built rim holes & pattern to forcefully angle water at high speed to scrub bowl clean
- 5 Reliable Fluidmaster® 400A fill valve

1,000 grams MaP® Score

60 feet of Drain Line Carry

10 Year Limited Lifetime Warranty on Vitreous China

POWERFUL, PREMIUM PERFORMANCE

Known as one of the industry's top toilets, the Gerber® Avalanche® is perfect for new construction or repair and remodel. Its reliability and performance also stems from its top-of-the-line components: Fluidmaster® 400A fill valve, 3" flush valve, fully glazed trapway, and dual fed siphon jet, to name a few.



ULTRA FLUSH®



- 1 High-powered, pressure-assist vessel uses compressed air to drive water through the bowl and carry waste out completely
- 2 Specially designed rim guides the high-speed water to remove toilet paper and thoroughly clean the bowl
- 3 Large glazed trapway funnels waste out quickly and effectively
- 4 Drain line carry double the national standard
- 5 Metal handles & arms that support high-frequency usage and an insulated tank to handle extreme weather conditions
- 6 Sloan Flushmate® Pressure Vessel (1.6, 1.28 gpf)

1,200 grams MaP® Score*

80 feet of Drain Line Carry

10 Year Limited Lifetime Warranty on Vitreous China

THE ULTIMATE FLUSHING MACHINE

Harness the power of The Ultimate Flushing Machine with an Ultra Flush® pressure-assist toilet. Boasting top-of-the-line professional performance, its unique rim provides complete rinsing coverage with every flush. Most models use a Sloan Flushmate® pressure vessel which releases compressed air in a downward path and forces water into the bowl, pushing waste out of the bowl and down the drain line. The Ultra Flush is truly the pinnacle of porcelain; it exceeds everything – even your expectations.

* Gerber internal testing according to ASME standard protocol

EYE-CATCHING DESIGN BACKED BY KNOCK-OUT PERFORMANCE

Who says you have to compromise style for performance? From traditional, to transitional or contemporary, Gerber® offers high style and unbeatable performance at an impressive value. All of our decorative toilets operate on our Avalanche® flushing performance platform.



Flushing Technology So Discreet You'll Do a Double Take

The Gerber QuietClean™ flush system delivers a quiet experience and a spotless, sparkling bowl after each flush. Dual rim jet technology scrubs the bowl from the top down and allows for maximum cleaning, yet achieves minimal splash and low noise. QuietClean is featured in our **Lemora®** and **Hinsdale®** toilets.



Superior Wash



Anti-Splash



Low Noise



ELITE™. Easy to Clean. Easy on the Eyes.

The Elite™, powered by the Avalanche® flushing platform, two-piece design features a simple concealed trapway for a sleek look with less nooks and crannies to clean, and all the performance features found in the Avalanche toilet. The concealed trapway installs like a standard two-piece toilet and does not interfere with existing supply lines and angle stop locations.

LARGEST FOOTPRINT

Ideal for replacements to cover any old residue

LARGEST FULLY GLAZED TRAPWAY 2"

OUTSTANDING DRAINLINE CARRY
Up to 60 feet

HIGH MaP® SCORE


1,000 grams

WATERSENSE® CERTIFIED

1.28 gpf model available

INDUSTRY-LEADING WARRANTY

10 Year Limited Lifetime Warranty on vitreous china



DECORATIVE TOILETS



**WE'VE GOT YOUR
BRASS COVERED**



Brushed Bronze is a Permanence® finish and is produced using cutting-edge Physical Vapor Deposition (“PVD”) technology. The PVD process molecularly bonds the finish to the product, creating a finish that is super resistant to corrosion, tarnish, and scratches.

*Parma® Single Handle
Bathroom Sink Faucet*

With styles and finishes ranging from show-stopping appeal to understated beauty, the dependable performance of Gerber® toilets you know and trust is carried through to a full range of kitchen and bathroom faucets, as well as a variety shower solutions.

KITCHEN FAUCETS


100% WATER TESTED IN THE FACTORY TO ENSURE CONSISTENT QUALITY

STYLE & SUBSTANCE

Gerber® offers a wide range of kitchen products in a variety of finishes and styles, all backed by high-quality and reliable performance.



FINISHES*



Chrome

Brushed Bronze

Satin Black

Stainless Steel



Pull-Out



Pull-Down



Pre-Rinse



Kinzie® Single Handle Pull-Down Kitchen Faucet



Bar & Prep



Single Handle



Bridge



Pot Fillers

* Finishes vary by product collection and type.

EXCLUSIVE FEATURES*



Super Swivel Hose

Gives a greater range of motion on pull-down kitchen faucets to effortlessly put the water right where it's needed.



Drip-Free Ceramic Disc Valve

Creates a tight seal to prevent drips and allows handle to maneuver smoothly with ease, even in hardwater applications.



Dual-Function Stream/Spray Patterns

Pull-down & pull-out model sprayheads and single handle complementary side sprays offer maximum functionality with a single steady flow and powerful spray functions.



Quick Connect

Innovative hose connection that replaces the traditional style of compression or threaded connections and reduces installation time.



SnapBack® Retraction System with Grip Lock® Weight

Exclusive retraction system uses an adjustable weight and internal engineering to smoothly pull the sprayhead into place. The weight installs with no tools necessary and allows for customization of the retraction to fit needs.



Neoperl® Supply Hoses

Known throughout the market for precision and reliability. Color-coded, flexible supply lines provide a fast, easy, and reliable installation.

* Features and components vary per product type & model. Please see product specification sheets and illustrated parts lists for item details.

BATHROOM FAUCETS


HIGH-END QUALITY AT A PLEASANTLY SURPRISING VALUE



WaterSense® Certified & ADA Compliant

Durable Metal Construction*

FINISHES**



Lemora® Single Handle Bathroom Faucet



Single Handle



Centerset



Widespread



Vessel Filler

* On select models.

** Finishes vary by product collection and type.

EXCLUSIVE FEATURES*

Laminar Flow

Rather than introducing air into the stream, Neoperl's laminar pressure-compensating aerators deliver a clear, splash-free column of water. Laminar is more hygienic as it does not introduce air from the surrounding environment into the water stream.




Drip-Free Ceramic Disc Valve

Creates a tight seal to prevent drips and allows handle to maneuver smoothly with ease, even in hardwater applications.



Patented Touch-Down Drains

Fast and simple in both installation and operation, Gerber offers drain assemblies with all metal drain body and with options for either a metal or ABS tailpiece. The proprietary drain design can drain a sink almost 20% faster than standard pop-up drains and have no lift rod to adjust, clean, and consider for clearance at installation.



WIDESPREAD INSTALLATION FEATURES



Features our patented Quick Connect, which comes standard on Gerber® widespread faucets. The Quick Connect structure ensures proper alignment and provides a reliable and easy push connection between spout and handles.

Gerber widespread faucets feature all-brass construction with copper inlet and outlet tubes. The nut is a reversible design that allows a range from thin-deck install all the way up to 2" thick.

* Features vary per product type & model. Please see specification sheets for item details.

SHOWERHEADS

- Air Injection™ Technology optimizes water intensity even at low pressures
- Pressure Manifold™ Technology ensures wide coverage and a powerful spray
- Dual Valve Technology minimizes water pressure loss as setting changes

HANDSHOWERS & KITS

- Single & multi-function options
- Pairs beautifully with all Gerber® collections
- Multi-function models feature Dual Valve Technology, minimizing potential water pressure loss

SINKS

- Pedestal, Undermount, Drop-in, and Wall-Hung options
- Variety of styles for cohesive room decor
- Configurations for 4" & 8" Centers and Single Hole faucets

BATHROOM ACCESSORIES

- Traditional, Transitional, and Contemporary styles
- Available in many finishes to complete a look
- Towel bars, towel ring, paper holder, and robe hooks

BATHROOM PRODUCTS

ONE-STOP SHOP FOR THE WHOLE SPACE

FLOOR MOUNT TUB FILLERS

- Contemporary, Square, and Traditional styles
- Comes with a single-function handshower
- Pressure balance cartridge to protect against scalding

ALSO AVAILABLE:

Tub & Shower Trim Kits, Roman Tub Faucets, Faucet Accessories, Shower Accessories, Bath Tub Drains, and Valves

TREYSTA® VALVE

WORK SMARTER. NOT HARDER.

Engineered with the experts in mind, the Treysta® tub and shower valve is Gerber's most innovative valve yet. Powered by more than 85 years of Gerber performance, Treysta provides flexibility based on the specific requirements of each installation. From the intuitive open and close stops for easy maintenance, to easy installation and pressure-testing features, Treysta saves both time and money.



G00GS525S

FEATURES AND BENEFITS

- **Revolutionary Vertical Inlets** – Treysta's vertical inlets allow for maximum flexibility in the wall, and can install next to a stud in PEX applications without requiring re-framing
- **Easy Pressure Testing Capability** – Treysta features an innovative pressure test cap to make the process of air and water pressure testing easier to complete
- **Easy Installation and Access** – With an easy-access mounting system and integrated depth indexing features on the plaster guard, Treysta is engineered to install smoothly and quickly
- **Flexible and Adaptable for Different Environments** – Treysta has a solution for “with” and “without” stops, and accommodates back-to-back installations and reversed hot and cold inlets, as well as IPS / sweat, Crimp PEX and Cold Expansion PEX
- **Secure and Level Mounting** – The body of the valve features integrated mounting holes for a firm and secure hold, and the flat plane of the plaster guard allows it to install level with the wall
- **Innovative Common Platform** – Treysta uses a common platform of pressure balance cartridge for all configurations, meaning that a single cartridge fits in all valve bodies



IPS/SWEAT



COLD EXPANSION PEX



CRIMP PEX

| | IPS/SWEAT | | | COLD EXPANSION PEX | | | CRIMP PEX | | |
|---------------|-------------------|-----------------|---------------------|--------------------|-----------------|---------------------|-------------------|-----------------|---------------------|
| | Horizontal Inlets | Vertical Inlets | Integrated Diverter | Horizontal Inlets | Vertical Inlets | Integrated Diverter | Horizontal Inlets | Vertical Inlets | Integrated Diverter |
| Stops | G00GS505S | - | G00GS555S | G00GS507S | G00GS527S | G00GS557S | G00GS504S | G00GS525S | - |
| Without Stops | G00GS505 | - | - | G00GS507 | G00GS527 | - | G00GS504 | G00GS525 | - |



**WITH
STUB-OUT**

IPS/SWEAT

COLD EXPANSION PEX

CRIMP PEX

| | Horizontal Inlets | Vertical Inlets | Integrated Diverter | Horizontal Inlets | Vertical Inlets | Integrated Diverter | Horizontal Inlets | Vertical Inlets | Integrated Diverter |
|---------------|-------------------|-----------------|---------------------|-------------------|-----------------|---------------------|-------------------|-----------------|---------------------|
| Stops | G00GS505ST | - | | G00GS507ST | | | G00GS504ST | | - |
| Without Stops | G00GS505T | - | - | G00GS507T | | - | G00GS504T | | - |

Integral mounting holes for fast, secure mounting

Quarter turn stops easily open and close using a flat head screwdriver


Stops secured with durable, threaded brass nut easily secured with standard socket

Finished wall depth indicators in 1/4" increments for easy depth indexing

Top and side surfaces are flat to simplify tile cutting and help ensure level installation

Plaster guard features a no-tool clip design for fast removal while providing a secure hold

Two attachment points for thin-wall installations




Unique shaped plaster guard protects body, provides surface to use level and ease of tile work

Valve body can be rotated 180 degrees for top-down installations with a few simple steps

Requires rotation of retention plate and plaster guard

Includes pressure test cap for air or water pressure testing

The innovative test plug can test mixed pressure, or isolate an inlet to test pressure or for system cross flow



The Legacy, Lasting Reliability, and Looks that Inspire Confidence.

Make it good with



US: gerber-us.com | Canada: gerber-ca.com

Technical Support

US: 1-888-648-6466 | Canada: 1-800-487-8372

Customer Care

US: 1-866-538-5536 | Canada: 1-866-884-8841