

Strike Success with
VIPER[®] LOW FLOW



viper[®]

GERBER[®]

WHY IS THE VIPER® LOW FLOW LINEUP
THE SUSTAINABLE SOLUTION?

**IT'S THE EASY,
ECO-FRIENDLY,
& EFFICIENT CHOICE.**



IT'S ALL ABOUT SAVING GREEN & BEING GREEN

Making the change to a low flow model brings measurable return on investment. Check out these estimated annual water bill savings* that are attainable by switching 3.5 gpf (13.13 Lpf) toilets to 0.8 gpf (3.0 Lpf) models**.



\$119

4-person, single-family home



\$5,559

An apartment complex with 100 units with 2.5 residents per unit at 75% average occupancy



\$10,750

A hotel with 300 rooms with 2 guests each at 60% average occupancy

* Shown in USD

** Estimates are based on the EPA's reported \$.00606 average national cost per gallon of water and 1,460 gallons of water savings based on 5 flushes per person a day for a year's time.



IT'S ABOUT TIME... **SAVE TIME & MONEY WITH GERBER'S VIPER®**




Parts & Components*



Vitreous China*

Tank can be removed with water in it, if needed, for painting or wallpapering

Tool-free, tank-to-bowl mounting system reduces risk of cracking tank during installation



No bolt cutters needed thanks to tall caps

9 3/4"

20 1/2"

Large footprint ideal for quick & easy replacements

GERBER GETS IT RIGHT ON THE FIRST FLUSH

“Bare minimum” is not in our vocabulary, unless you are talking about water usage. With the increasing need to get smart with our most precious resource, Gerber is here to provide the products that check all the boxes. The low flow offerings in the Viper® collection do just that. It was not enough for us to meet low consumption requirements and say “good enough.” We always strive for “Gerber Good.”

How do Gerber® toilets give the confidence of Set-It-and-Forget-It™ dependability?

Gerber has been dedicated to perfecting the three Cs for 90 years to be able to provide the most **CONSISTENT** flush available.

 CLEAR MaP® Score	 CLEAN Cleanliness of Bowl after a Single Flush	 CARRY Drain Line Carry
--	---	--

The Value of Viper® Low Flow

Water **C**onservation & Savings

No **C**ompromising on Performance

High **C**onfidence & Strong Reputation

Don't Say "Dry Stack"

Water, waste, and paper can accumulate in the drain line beyond the toilet, causing a blockage. The three Cs working together ensure the pinnacle of flushing performance.

An Auger is not the Answer

The use of an auger when servicing a Gerber toilet, including the 0.8 gpf (3.0 Lpf) Viper® model, is highly unlikely due to practical product engineering. However, the bowl is also designed to allow an auger to work if necessary.

40 Feet of Drain Line Carry - Minimum Industry Standard

50* Feet of Drain Line Carry - Viper's Performance (25% more)



*Average, 44 feet for 0.8 gpf (3.0 Lpf) model

1.0 gpf (3.8 Lpf)
MaP Score: 1,000 Grams



GWS20528

Elongated
ErgoHeight™,
12" Rough-In



GWS20022

Back Outlet Compact
Elongated ErgoHeight™

FIRST-EVER
1.0 gpf (3.8 Lpf)
Back Outlet Toilet
with a Gravity
Flushing Platform
on the Market



GWS20551

Round Front
Standard Height,
12" Rough-In



GWS21519

Compact Elongated
ErgoHeight™,
12" Rough-In



THE VIPER® LOW FLOW LINEUP

0.8 gpf (3.0 Lpf)
MaP Score: 800 Grams



GLF20551

Round Front,
12" Rough-In



GLF20528

Elongated
ErgoHeight™,
12" Rough-In



GLF20500

Round Front,
10" Rough-In



GLF20517

Elongated
ErgoHeight™,
10" Rough-In

0.9/1.1 gpf (3.4/4.0 Lpf)
Dual Flush
MaP Score: 1,000 Grams



GDF20528

Elongated
ErgoHeight™,
12" Rough-In



GDF20551

Round Front
Standard Height,
12" Rough-In



*Depicts canister trim for illustrative purposes.

TAKE IT BEYOND THE TOILET

GERBER'S FULL SET OF WATER-SAVING SOLUTIONS



MAXIMUM SAVINGS WHILE ACHIEVING MAXIMUM PERFORMANCE

All of Gerber's kitchen & bath faucets have a flow rate under the national maximum.



Bathroom Faucets*

- 1.2 gpm (4.5L/min) Max Flow Rate @ 60 psi
- WaterSense® Certified
- Durable, Drip-Free Ceramic Disc Valves
- Clear, Splash-Free Laminar Flow
- Touch-Down and Pop-Up Drain Options



Tub & Shower Trim Kits*

- 1.75 gpm (6.6 L/min) or 2.0 gpm (7.6 L/min) Max Flow Rate @ 80 psi
- WaterSense® Certified
- Air Injection™ Technology Optimizes Intensity at Low Pressures
- Pressure Manifold™ Technology Ensures Wide Coverage & Powerful Spray
- Dual Valve™ Technology Minimizes Water Pressure Loss as Setting Changes
- Powered by Gerber's Innovative Treysta® Tub & Shower Valve with a Common Pressure Balance Cartridge Platform for All Models



Kitchen Faucets*

- 1.75 gpm (6.6 L/min) Max Flow Rate @ 60 psi
- SnapBack® Retraction System Uses the No-Tool GripLock® Weight and Internal Engineering to Smoothly Pull Sprayhead into Place
- Durable, Drip-Free Ceramic Disc Valves
- Color-Coded, Flexible Supply Lines Provide Fast & Easy Installation

= THE TOTAL PACKAGE



* Features vary based on specific products. Please reach out to your Gerber representative for more information.



gerber-us.com
gerber-ca.com

US: 1-888-648-6466 Canada: 1-800-487-8372

© 2022 Gerber Plumbing Fixtures, LLC
G-22 VIPER BROC